L Number	Hits	Search Text	DB	Time stamp
-	0	scsi same expander same (interface adj circuit) same segment	USPAT;	2003/12/11 08:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	•
-	0	scsi same expander same (interface adj circuit) same (bus adj	USPAT;	2003/12/10 15:08
	_	segment)	US-PGPUB;	
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_	0	scsi same expander same (interface adj circuit)	USPAT;	2003/12/10 15:08
		(US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	expander same (interface adj circuit) same (bus adj segment)	USPAT;	2003/12/10 15:08
	•	onpanies came (menaes da) cheany came (cas de) cogmonly	US-PGPUB;	2000/12/10 10:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	expander same (interface adj circuit) same segment	USPAT;	2003/12/10 15:08
		- sapanasi samo (monaso daj silvan) samo segment	US-PGPUB;	2000, 12, 10 10.00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	. 0	adaptec.as. and scsi.ti. and expand\$3.ti.	USPAT;	2003/12/10 15:08
-		auaptec.as. and sost.tt. and expandes.tt.	US-PGPUB;	2003/12/10 15.06
			EPO; JPO;	
			DERWENT;	
		•	IBM TDB	
	0	(bus with expand\$3) same propagat\$3 same reset\$4	USPAT;	2003/12/10 15:08
-		(bus with expandato) same propagatato same reseta-	US-PGPUB;	2003/12/10 13.00
İ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	29	repeater same reset\$4 same propagat\$3	USPAT;	2003/12/10 15:09
-		Tepeater same resetut same propagatuo	US-PGPUB;	2003/12/10 13:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	((scsi same (expander repeater)) same reset\$4).ti.	USPAT;	2003/12/10 15:09
-	١	((ses) same (expander repeater)) same reset(4).ii.	US-PGPUB;	2003/12/10 13.03
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	16	reset same (hang hung) same scsi	USPAT;	2003/12/10 15:09
	.3	1000 00010 (nong nong) outile 0001	US-PGPUB;	2500/12/10 10:00
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	0	isolat\$3 same (reset adj signal) same (expander repeater)	USPAT;	2003/12/10 15:09
		in the same (1990) and organic (expanded repeater)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24	isolat\$3 same reset same (expander repeater)	USPAT;	2003/12/10 15:09
		- constant root came (expander repeater)	US-PGPUB;	2000/12/10 10:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	717	bus adj segment	USPAT;	2003/12/10 15:09
	'''	and any dogitions	US-PGPUB;	2000/12/10 10:09
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
L	L	L	םם ואוטו	L

-	37	scsi same (bus adj segment)	USPAT;	2003/12/10 15:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	47	sony.as. and (reset\$4 adj3 bus)	USPAT;	2003/12/10 15:10
_	7'	Sorry.as. and tresetor aujo busy		2003/12/10 15.10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	290	reset\$4 with scsi with bus	USPAT;	2003/12/10 15:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	6	scsi adj (expandr repeater extender).ab.	USPAT;	2003/12/10 15:10
		Sosi adj (expandi repeater extender).ab.	US-PGPUB;	2003/12/10 13.10
			EPO; JPO;	
			DERWENT;	
		l	IBM_TDB	
-	21	scsi adj (expandr repeater extender)	USPAT;	2003/12/10 15:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
	491	(bus scsi) adj (expandr repeater extender)	USPAT;	2003/12/10 15:10
-	431	(bus sesi) auj (expandi repeater extender)		2003/12/10 15:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
}			IBM_TDB	
-	90	(bus adj (expander extender repeater)) and scsi	USPAT;	2003/12/10 15:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	36	(bus adj (expander extender repeater)) and scsi and reset\$4	USPAT;	2003/12/10 15:10
	30	(bus au) (expander extender repeater)) and sest and resette		2003/12/10 13.10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	248	(bus adj (expander extender repeater)) and reset\$4	USPAT;	2003/12/10 15:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	scsi same (bus adj expander)	USPAT;	2003/12/10 15:10
			US-PGPUB;	
			EPO; JPO;	'
			DERWENT;	
	_	adouted as and realisation and access 400	IBM_TDB	00004045 45 45
-	4	adaptec.as. and packer.in. and expand\$3	USPAT;	2003/12/10 15:10
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	15	adaptec.as. and (scsi same expand\$3)	USPAT;	2003/12/10 15:10
			US-PGPUB;	=====================================
			EPO; JPO;	
			DERWENT;	
!	4	(hug with avanages) ages ages ages ages 46.4	IBM_TDB	0000404045
-	1	(bus with expand\$3) same scsi same reset\$4	USPAT;	2003/12/10 15:10
1	[•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

	,			
-	2	(bus with repeater) same scsi same reset\$4	USPAT; US-PGPUB;	2003/12/10 15:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	7	repeater same scsi same reset\$4	USPAT;	2003/12/10 15:10
1	'	Tepeator same door same resetor	US-PGPUB;	2003/12/10 13.10
			EPO; JPO;	
			DERWENT;	
ļ			IBM_TDB	
_	5	scsi same (expander repeater) same (reset adj signal)	USPAT;	2003/12/10 15:10
İ		desired (expanses repeater) dame (reset adjuighar)	US-PGPUB;	2000/12/10 10:10
			EPO; JPO;	
}			DERWENT;	
			IBM_TDB	
! _	6	(scsi same (expander repeater)).ti.	USPAT;	2003/12/10 15:10
		(000, 00, 00, 00, 00, 00, 00, 00, 00, 00	US-PGPUB;	2000/12/10 10:10
			EPO; JPO;	
İ			DERWENT;	
			IBM TDB	
-	2	(error adj reset) same scsi	USPAT;	2003/12/10 15:10
	_	,	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	1		IBM TDB	
-	1	(scsi adj (repeater expander)).ti.	USPAT;	2003/12/10 15:11
		(US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	(scsi adj (repeater expander)).ab.	USPAT;	2003/12/10 15:11
			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	7	isolat\$3 adj (reset\$3 adj signal)	USPAT;	2003/12/10 15:11
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	17	scsi adj repeater	USPAT;	2003/12/10 15:11
			US-PGPUB;	
			EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	4	(reset\$4 with scsi with bus) same (repeater expander	USPAT;	2003/12/10 15:11
		extender)	US-PGPUB;	
			EPO; JPO;	•
			DERWENT;	
	19	(reset\$4 with scsi with bus) and (repeater expander extender)	IBM_TDB	2002/42/40 45:44
1 -	19	(resetum with sost with bus) and (repeater expander extender)	USPAT; US-PGPUB;	2003/12/10 15:11
			EPO; JPO; DERWENT;	
			IBM TDB	
_	11	isolat\$3 same propagat\$3 same (reset adj signal)	USPAT;	2003/12/10 16:44
	1	issiates same propagates same (reset auj signal)	US-PGPUB;	2000/12/10 10:44
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	112	isolat\$3 same propagat\$3 same reset\$4	USPAT;	2003/12/10 16:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
ĺ			IBM_TDB	
			, <u>-</u>	<u> </u>

-	713	isolat\$3 same (transfer\$4 propagat\$3) same reset\$4	USPAT; US-PGPUB;	2003/12/10 16:44
l			EPO; JPO;	
			DERWENT;	
_	80	isolat\$3 same (transfer\$4 propagat\$3) same (reset\$4 adj	IBM_TDB USPAT;	2003/12/10 16:45
	00	signal)	US-PGPUB;	2003/12/10 10.43
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/40/40 40 40
-	1	isolat\$3 with ((transfer\$4 propagat\$3) adj3 (reset\$4 adj signal))	USPAT; US-PGPUB;	2003/12/10 16:46
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	isolat\$3 same ((transfer\$4 propagat\$3) adj3 (reset\$4 adj	USPAT;	2003/12/10 16:46
		signal))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	300	((transfer\$4 propagat\$3) adj3 (reset\$4 adj signal))	USPAT;	2003/12/10 16:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	79	((propagat\$3) adj3 (reset\$4 adj signal))	USPAT;	2003/12/10 16:46
		(iii) (iii) (iii)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	54505	isolat\$3 with signal	IBM_TDB USPAT;	2003/12/11 08:34
-	54505	Isolatas with signal	US-PGPUB;	2003/12/11 00.34
			EPO; JPO;	
			DERWENT;	
	40000	:	IBM_TDB	2002/42/44 00:24
-	12896	isolat\$3 adj3 signal	USPAT; US-PGPUB;	2003/12/11 08:31
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(isolat\$3 adj3 signal) same scsi	USPAT;	2003/12/11 08:31
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	293	isolat\$3 with (reset\$4 adj3 signal)	USPAT;	2003/12/11 08:44
			US-PGPUB; EPO; JPO;	
}			DERWENT;	
			IBM_TDB	
-	165	(propagat\$3 forward\$3) adj3 (reset\$4 adj3 signal)	USPAT;	2003/12/11 08:44
			US-PGPUB;	
		· ·	EPO; JPO; DERWENT;	
			IBM_TDB	
-	22	((far adj side) farside far-side remote) adj reset adj signal	USPAT;	2003/12/11 13:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_ TDB	
_	0	((far adj side) farside far-side) adj reset adj signal	USPAT;	2003/12/11 13:43
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<u> </u>	<u> </u>	IBM_TDB	L

-	60	((far adj side) farside far-side) adj3 signal	USPAT;	2003/12/11 13:43
			US-PGPUB;	
	<u> </u>		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	recursive adj reset	USPAT;	2003/12/11 13:45
	!		US-PGPUB;	
	Ì		EPO; JPO;	
]		DERWENT;	
			IBM_TDB	
-	0	recursive adj reset\$4	USPAT;	2003/12/11 13:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
-	19	recursive\$3 adj3 reset\$4	USPAT;	2003/12/11 13:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	Ì		IBM_TDB	
_	11	scsi same (repeater expander extender) same ((reset adj	USPAT;	2003/12/11 15:38
	1	signal) rst)	US-PGPUB;	
		- 0.g.(a.) 10.)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	0	6430632.pn. and reset	USPAT;	2003/12/11 15:35
		0400002.pn. and reset	US-PGPUB;	2000/12/11 10:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	16	scsi and ((repeater expander extender) same ((reset adj	USPAT;	2003/12/11 15:45
-	10		US-PGPUB;	2003/12/11 13.45
		signal) rst))	EPO; JPO;	
			DERWENT; IBM_TDB	
	0	resetting adj bus adj segment\$1	USPAT;	2003/12/11 15:43
-	0	resetting adj bus adj segment\$1		2003/12/11 15.43
			US-PGPUB;	
			EPO; JPO; DERWENT;	
	4	rosot\$1 odi buo odi sogmont\$1	IBM_TDB	2002/12/11 15:44
-	1	reset\$1 adj bus adj segment\$1	USPAT;	2003/12/11 15:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
	470	((non-oates essential established establis	IBM_TDB	2002/42/44 45:42
-	173	((repeater expander extender) same ((reset adj signal) rst))	USPAT;	2003/12/11 15:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		<u> </u>	IBM_TDB	